



Self-Leveling Horizontal/Vertical Cross-Line Laser

Model SK104Z

Horizontal/Vertical Reference Lines Required in Leveling and Aligning Applications



VERSATILITY

Horizontal/vertical reference lines required in leveling and aligning applications



CAPACITY

Extended laser line fan length spans well past 90° position



DURABILITY

Integrated pendulum lock offers added protection of laser diode during transport and storage



FEATURES

- Robust and handy design
- Water and dust proof (Protection class IP54)
- Fast self-leveling time; stability is achieved in 3 seconds for increased productivity
- Self-leveling is correctable up to 4° of slope allowing operation on uneven surfaces
- Bright 635 nm class II laser for best-in-class visibility in moderate ambient light environment
- 2 crossing 180° laser lines provides precise work
- Integrated pendulum lock enables slope incline applications for increased versatility
- Pulse mode conserves and extends battery life for increased operation time in low light environments

SPECIFICATIONS

Measuring Range	Up to : 15m with detector Up to : 60m
Leveling accuracy	±3mm / 10m
Self-leveling range	4±1°
Laser fan angle	Horizontal : 180° Vertical : 180°
Number of laser lines	2
Laser type	Laser class 2 : 635nm
Tripod thread	1/4"
Protection class	IP54
Net weight	0.47kg

STANDARD EQUIPMENT

- Magnetic bracket
- Target card
- (3) AA batteries
- Carrying pouch

All specifications subject to change without prior notice. All models and accessories subject to stock on hand.

www.makita.co.za